

Compleo is a provider of high-quality charging technology for electromobility - German engeneering and manufacturing with precision in every detail



## eTower 200

## Max. 200 kW total power, 2x HPC charging points

Powerful and reliable: The eTower 200 is a future-proof high-power charging solution - flexible to install and barrier-free to operate. Seven smaller power modules optimize power distribution. Optionally with cable management and 2x 6 m CCS charging cable.

- ✓ More turnover thanks to optimally dimensioned power modules
- Quietest charging station in its class also for noise sensitive areas (only 49.4 dBA)
- Convenient installation thanks to WireHub
- ✓ Low overall height ideal under roof-tops and in parking garages
- Installation directly in front of walls
- Integrated load management can be combined with Compleo AC and DC portfolio
- AFIR and calibration law compliant
- ✓ Barrier-free access
- Ducto: tool for easy configuration of charging stations



All products cases - with the exception of the eBox - are available in individual color designs on request.

The range of Compleo's AC, DC and high-power charging stations and wall boxes enables you to set up and expand charging points for every use case.

Our charging stations offer users a positive charging experience and enable every charging point operator to operate cost-efficiently. Smart connection to every OCPP backend and connectivity via LAN and mobile communications are included as standard in Compleo products.

# **DUO & DUO fleet**

### Max. 2x 22 kW, 2 AC charging points<sup>1</sup>

Your favorite for parking facilities: The DUO is calibration law-compliant and saves you time and money when installing and operating your charging stations. The DUO fleet with Power Rail technology is recommended for projects with three or more stations. The busbar cabling system offers up to 30% and more savings on installation. All DUOs are equipped with the automatically resettable Service RCD - which reduces servicing effort.

#### **DUO line**

- Safety technology: Overvoltage protection type
  1-2-3 and Service RCD (with remote test function)
- Bright 4.3" display (incl. QR code for secure direct payment)
- Integrated load management with Compleo AC, DC and HPC portfolio (via Ducto)
- SMC base (light and stackable) with filling granulate

#### **DUO fleet**

- With Power Rail technology and Ethernet switch (4 free connections)
- Optional 2x type 2 spiral cable (6.5 m/11 kW) or 2x type 2 socket



# **DUO** ims

## Max. 2x 22 kW, 2 AC charging points

The DUO ims was specially designed for direct connection to the public distribution grid. The DUO ims meets all the requirements of the calibration law, the German charging station ordinance and VDE-AR 4100. The optional integrated payment terminal of the DUO ims is ready for activation via charging cards or direct payment via smartphone, credit and debit card, including PIN pad.

- Complies with German Technical Connection Requirements (TAB) and VDE-AR 4100
- Bright 4.3" display (incl. QR code for secure direct payment)
- All protective components integrated
- Integrated load management can be combined with Compleo AC, DC and HPC portfolio
- SMC base (light and stackable) with filling granulate
- Ducto: tool for easy configuration of charging stations





# eBOX professional

#### Max. 22 kW, 1 AC charging point

The eBOX professional is your innovative wall box for flexible connection via WiFi, LAN or 4G. It offers billing in compliance with calibration law. This makes it perfect for commercial operation. With wall mounting in parking garages or as a stand-alone installation on high-quality ePoles, it can be used anywhere.

- Online connection via WiFi, LAN, 4G
- ✓ Integrated load management with LAN and WiFi
- SIM card exchangeable for free choice of backend
- Installation with eClick mounting plate
- LED signature ring for immediate user feedback
- ✓ Plug & Charge-ready with ISO15118
- eConfig app for configuration
- Optionally available as cable variant



